

35th Annual
Top Band Dinner

Friday - May 15, 2026

Social Hour: 6:00pm



Keynote Speaker:
Jeff Briggs - K1ZM

Hope Hotel
10823 Chidlaw Road
Dayton, Ohio 45433 · USA

Topband Success Starts at DX Engineering.

DX ENGINEERING

NCC-2 Receive

Antenna Variable Phasing System

The NCC-2 combines the NCC-1 Phase Controller and our RTR-1A Receive Antenna Interface technologies into one box. It also has enhanced balance functionality, expanding its ability to phase between two different types of antennas. This is a handy feature if you've got space constraints on your property. We've also made it easier (and more economical) to expand the NCC-2's versatility by providing internal slots for modules like the plug-in versions of our Receiver Guard 5000HD and RPA-2 preamplifier. **DXE-NCC-2...\$955.99**

DX[®]
ENGINEERING



DX ENGINEERING

RF-PRO-1B[®]

Active Magnetic Loop MF/HF Receiving Antenna

This highly regarded antenna manufactured and sold exclusively by DX Engineering delivers excellent broadband reception from 100 kHz to 30 MHz. The low-profile antenna's modular construction and modest 38" diameter loop make installation and maintenance easy. When rotated, the antenna provides deep nulls for effective reduction of directional noise and interfering signals. Ideal for ham radio, SWL, and AM DXing, the loop offers up to 30 dB rejection of electrostatic field noise. No manual tuning required. Loop includes specially designed low-noise preamplifier. **DXE-RF-PRO-1B...\$809.99**



DX ENGINEERING

Receiver Guard RG5000HD

Protect your sensitive receiver front-end against high levels of RF from nearby transmit signals. Extensively tested and proven in real-world stations, the RG5000HD employs a highly effective passive electronic RF limiter covering 500 kHz-150 MHz. The Receiver Guard can reject 10 watts of catastrophic receive antenna feedline RF while passing a signal of about 87 dB over S-9, in addition to generating far less harmonic noise than competing limiters. It's a smart upgrade for any station, including setups for contesting, Field Day, SWL, and general protection against potentially damaging RF peaks caused by neighbors or passing mobiles. **DXE-RG5000HD...\$105.99**



**((ON ALL))
BANDS**

DX Engineering's Amateur Radio Blog for New and Experienced Hams.
Visit OnAllBands.com for news you can use to improve your on-air experience.

Ordering (via phone) Country Code: +1

9 am to midnight ET, Monday-Friday
9 am to 5 pm ET, Weekends

Phone or e-mail Tech Support: 330-572-3200

9 am to 7 pm ET, Monday-Friday
9 am to 5 pm ET, Saturday

Ohio Showroom Hours:

9 am to 5 pm ET, Monday-Saturday

Ohio Curbside Pickup:

9 am to 8 pm ET, Monday-Saturday

9 am to 7 pm ET, Sunday

Nevada Curbside Pickup:

9 am to 7 pm PT, Monday-Sunday

800-777-0703 | Email Support 24/7/365 at DXEngineering.com

See you at Hamvention[®] Building 1 Booths 1207-1210, 1303-1311, 1403-1411, 1507-1511, 1611

Prices subject to change without notice. Please check DXEngineering.com for current pricing.

35th Annual Top Band Dinner

Friday • May 15, 2026

6:00 Social Hour

7:00 Dinner

Welcome

Tim Duffy, K3LR

Pass the Mic

160 DXCC Countdown

Keynote Speaker

Jeff Briggs, K1ZM/VY2ZM

K1ZM is an avid 160m DX'er and the author of "DX'ing on the Edge...the Thrill of 160m!" Jeff will review the history of 160m DX'ing from the 1930's to the present day including a special focus on the achievements of Stewart S. Perry, W1BB, who was the first to achieve the single-band 160m DXCC award.

Tickets for the 2027 Top Band Dinner will be available
after January 1, 2027 at <http://TopBandDinner.com>

Program compliments of www.PhotoQSLs.com & www.AccuColor.biz

Explore the Power of Ham Radio

Where Passion Meets The Airwaves



IC-7300MK2
HF / 50 / (70) MHz



IC-7300
HF / 6M



Visit us at the
2026 Dayton Hamvention®
May 15 - 17
Booth 2508 - 2709



IC-9700
2M / 70CM / 23CM



IC-7610
HF / 6M



IC-705
HF / 6M / 2M / 70CM)



IC-PW2
HF / 6M 1 kW Amplifier



IC-7760
HF / 50MHz

www.icomamerica.com/amateur
insidesales@icomamerica.com

For the love of ham radio.

